


# Foam Dressing Pathway

## DRY/LOW EXUDATE



Epithelialising    Granulating

### Desired Clinical Outcomes

- ✓ Help protect wound & peri-wound skin
- ✓ Help maintain moist wound healing environment

Foam Lite™ Foam Dressing



- Soft, gentle, flexible and conformable<sup>5,6</sup>
- Can be cut to shape\*
- Viral and bacterial barrier<sup>1,5,6</sup>
- Soft and light
- Easy to apply and remove<sup>1,5,6</sup>
- Adhesive does not stick to gloves or itself\*
- Water/shower proof<sup>1,5,6</sup>
- Maximum recommended wear time 7 days\*

## MODERATE EXUDATE



Epithelialising    Granulating    Superficial Slough

### Desired Clinical Outcomes


- ✓ Support epithelialisation
- ✓ Help prevent maceration & protect peri-wound skin

AQUACEL® Foam Pro Dressing



- Designed to help heal wounds and protect against maceration
- Adhesive does not stick to gloves or itself
- Maximum recommended wear time 7 days\*
- Effective under compression<sup>2</sup>
- Soft, gentle, flexible and conformable
- Increased protection for fragile and friable tissue
- Can be cut to shape
- Viral and bacterial barrier\*
- Easy to apply and remove
- Water/shower proof\*

## HIGH EXUDATE



Granulating    Excoriated    Sloughy    Infected    Cavity

### Desired Clinical Outcomes

- ✓ Effective exudate management
- ✓ Help prevent maceration & protect peri-wound skin
- ✓ Support autolytic debridement
- ✓ Reduce bioburden
- ✓ Manage malodour

AQUACEL® Foam Dressing



- Can be cut to shape\*
- Viral and bacterial barrier<sup>1,5,6</sup>
- Easy to apply and remove<sup>1,5,6</sup>
- Maximum recommended wear time 7 days\*
- Water/shower proof<sup>1,5,6</sup>
- Soft, gentle, flexible and conformable<sup>5,6</sup>

Primary dressings for cavity and/or infected wounds:



- Use AQUACEL® Extra™ dressing with AQUACEL® Foam dressing to provide extra absorbency for heavily exuding wounds and/or deep dermal wounds.
- Use AQUACEL® Ag+ Extra™ dressing with AQUACEL® for heavily exuding wounds that are infected or at risk of infection or with suspected biofilm present.
- Use AQUACEL® Foam with AQUACEL® or AQUACEL® Ag+ ribbon for cavity or undermining wounds.